European Journal of Pharmacology, 240 (1993) 331–333
© 1993 Elsevier Science Publishers B.V. All rights reserved 0014-2999/93/$06.00

Author index

Adeyemo, O.M., Youdim, M.B.H., Markey, S.P., Markey, C.J. and Pollard, H.B.
L-Deprenyl confers specific protection against MPTP-induced Parkinson's disease-like movement disorder in the goldfish (240) 185
Amenta, F., see Ferrante, F. (240) 229
Archer, S., see Jiang, Q. (240) 201
Aulakh, C.S., Hill, J.L. and Murphy, D.L.
Attenuation of hypercortisolemia in fawn-hooded rats by antidepressant drugs (240) 85

Bailey, M.A. and Karbon, E.W.
Haloperidol treatment differentially regulates [^{3}H]DTG and [^{3}H](+)-3-PPP labeled σ binding sites (240) 243
Barnard, E.A., see Fujita, R. (240) 213
Battistini, B., see Filep, J.G. (240) 315
Bemelmans, M., see Huijberts, M. (240) 207
Bergeron, R., Debonnel, G. and De Montigny, C.
Modification of the N-methyl-D-aspartate response by antidepressant σ receptor ligands (240) 319
Bianchin, M., see Jerusalinsky, D. (240) 103
Bidlack, J.M., see Jiang, Q. (240) 201
Bird, J.E. and Waldron, T.L.
Incomplete inhibition of endothelin-1 pressor effects by an endothelin ET_A receptor antagonist (240) 295
Boric, M., see Donoso, M.V. (240) 93
Brunkwall, J., see Erlinge, D. (240) 77
Butcher, S.P., see Hodgkiss, J.P. (240) 219

Calixto, J.B., see Rae, G.A. (240) 113
Canton, H., see Lejeune, F. (240) 307
Cerveñansky, C., see Jerusalinsky, D. (240) 103
Chapman, R.W., see Rizzo, C.A. (240) 327
Collins, D.R. and Davies, S.N.
Co-administration of (1S,3R)-1-aminocyclopentane-1,3-dicarboxylic acid and arachidonic acid potentiates synaptic transmission in rat hippocampal slices (240) 325
Cottrell, D.A., see Hodgkiss, J.P. (240) 219
Coy, D.H., see Rossowski, W.J. (240) 259
Crijns, F., see Huijberts, M. (240) 207

Davies, S.N., see Collins, D.R. (240) 325
Davison, J.S., see Mathison, R. (240) 163
Dawson, Jr., R., Felheim, R. and Phillips, M.I.
Dopamine receptor agonists and antagonists both inhibit dopamine secretion in LLC-PK_1 cells (240) 277
Debonnel, G., see Bergeron, R. (240) 319
De Montigny, C., see Bergeron, R. (240) 319
De Vry, J., see Sommermeyer, H. (240) 29
Dierssen, M., see Ruiz, F. (240) 155
Donoso, M.V., Boric, M., Prado, M., Fournier, A., St. Pierre, S., Edvinsson, L. and Huidobro-Toro, J.P.
D-myo-Inositol 1,2,6-trisphosphate blocks neuropeptide Y-induced facilitation of noradrenaline-evoked vasoconstriction of the mesenteric bed (240) 93
D'Orléans-Juste, P., see Rae, G.A. (240) 113

Edvinsson, L., see Donoso, M.V. (240) 93
Edvinsson, L., see Erlinge, D. (240) 77
Ekonsalo, T., see Riekkinen, Jr., P. (240) 1
Erlinge, D., Edvinsson, L., Brunkwall, J., Yee, F. and Wahlestedt, C.
Human neuropeptide Y Y_1 receptor antisense oligodeoxynucleotide specifically inhibits neuropeptide Y-evoked vasoconstriction (240) 77
Ertan, A., see Rossowski, W.J. (240) 259

Felheim, R., see Dawson, Jr., R. (240) 277
Ferrante, F. and Amenta, F.
Autoradiographic localization of [^{3}H]nicardipine binding sites in the human renal artery (240) 229
Feuerstein, G.Z., see Yue, T.-L. (240) 81
Filep, J.G., Battistini, B., Fournier, A. and Sirois, P.
Relaxation by dexamethasone of isolated guinea-pig airways precontracted with endothelin-1 (240) 315
Fisher, A., see Riekkinen, Jr., P. (240) 1
Flood, J.F. and Morley, J.E.
Dose-response differences in the ability of ramipril to improve retention in diabetic mice (240) 311
Flórez, J., see Ruiz, F. (240) 155
Fournier, A., see Donoso, M.V. (240) 93
Fournier, A., see Filep, J.G. (240) 315
Fujii, T., see Morimoto, H. (240) 121
Fujita, R., Tamazawa, Y., Barnard, E.A. and Matsumoto, M.
Blocking effect of serotonin on β-adrenoceptor activity in follicle-enclosed *Xenopus* oocytes (240) 213

Garges, P.L., see Pucilowski, O. (240) 89
Giuliani, S., see Maggi, C.A. (240) 45
Glaser, T., see Sommermeyer, H. (240) 29
Gobert, A., see Lejeune, F. (240) 307
Götz, E., see Mondeh, J.D. (240) 39
Greuel, J.M., see Sommermeyer, H. (240) 29
Gu, J.-L., see Yue, T.-L. (240) 81
Guard, S., Watling, K.J. and Howson, W.
Structure-activity requirements of bombesin for gastrin-releasing peptide- and neuromedin B-preferring bombesin receptors in rat brain (240) 177
Guo, L., see Singewald, N. (240) 21
Gustafsson, L.E., see Wiklund, C.U. (240) 235

Henderson, C., see Tweedie, D. (240) 251
Hill, J.L., see Aulakh, C.S. (240) 85
Hirobe, M., see Tateyama, M. (240) 51
Ho, I.K., see Jaw, S.P. (240) 67
Hodgkiss, J.P., Sherriffs, H.J., Cottrell, D.A., Shirakawa, K., Kelly, J.S., Kuno, A., Ohkubo, M., Butcher, S.P. and Olverman, H.J.
Neurochemical and electrophysiological studies on FR115427, a novel non-competitive NMDA receptor antagonist (240) 219
Hong, E., see Villalón, C.M. (240) 9
Hoskins, B., see Jaw, S.P. (240) 67
Howson, W., see Guard, S. (240) 177
Huidobro-Toro, J.P., see Donoso, M.V. (240) 93

Huijberts, M., Wolffenbuttel, B., Crijns, F., Nieuwenhuijzen Kruseman, A., Bemelmans, M., Van Essen, H., Smits, J. and Struijker Boudier, H.
Inhibition of angiotensin-converting enzyme reduces urinary albumin excretion but not regional albumin clearance in experimental diabetes (240) 207
Hurlé, M.A., see Ruiz, F. (240) 155
Hutheson, S., see Pucilowski, O. (240) 89

Imazumi, K., see Morimoto, H. (240) 121
Inoue, Y., Shimamura, K. and Sperelakis, N.
Forskolin inhibition of K^+ current in pregnant rat uterine smooth muscle cells (240) 169
Ito, M., see Itoh, H. (240) 57
Itoh, H., Kusagawa, M., Shimomura, A., Suga, T., Ito, M., Konishi, T. and Nakano, T.
Ca^{2+}-dependent and Ca^{2+}-independent vasorelaxation induced by cardiotonic phosphodiesterase inhibitors (240) 57
Iwamoto, Y., see Kamei, J. (240) 99
Izquierdo, I., see Jerusalinsky, D. (240) 103

Janowsky, D.S., see Pucilowski, O. (240) 89
Jaw, S.P., Hoskins, B. and Ho, I.K.
Involvement of δ-opioid receptors in physical dependence on butorphanol (240) 67
Jerusalinsky, D., Cerveñansky, C., Walz, R., Bianchin, M. and Izquierdo, I.
A peptide muscarinic toxin from the Green Mamba venom shows agonist-like action in an inhibitory avoidance learning task (240) 103
Jiang, N.-Y., see Rossowski, W.J. (240) 259
Jiang, Q., Seyed-Mozaffari, A., Archer, S. and Bidlack, J.M.
Antinociceptive evaluation of 14β-(bromoacetamido)- 7,8-dihydro-N(cyclopropylmethyl)-normorphinone in mice (240) 201

Kamei, J., Iwamoto, Y., Suzuki, T., Misawa, M., Nagase, H. and Kasuya, Y.
The role of the μ_2-opioid receptor in the antitussive effect of morphine in μ_1-opioid receptor-deficient CXBK mice (240) 99
Kane, K., see Tweedie, D. (240) 251
Kaneko, K. and Sunano, S.
Involvement of α-adrenoceptors in the endothelium-dependent depression of noradrenaline-induced contraction in rat aorta (240) 195
Karbon, E.W., see Bailey, M.A. (240) 243
Kasuya, Y., see Kamei, J. (240) 99
Kato, H., see Kurihara, J. (240) 73
Kelly, J.S., see Hodgkiss, J.P. (240) 219
Kigoshi, S., see Noguchi, H. (240) 291
Király, Á., Sütő, G. and Taché, Y.
Role of nitric oxide in the gastric cytoprotection induced by central vagal stimulation (240) 299
Konishi, T., see Itoh, H. (240) 57
Kreutner, W., see Rizzo, C.A. (240) 327
Kuno, A., see Hodgkiss, J.P. (240) 219
Kurihara, J., Tamaoki, S. and Kato, H.
Blockade of α_2-adrenoceptors protects the vagal baroreflex system from transient global cerebral ischemia in dogs (240) 73
Kusagawa, M., see Itoh, H. (240) 57

Lathrop, D.A., Nánási, P.P., Schwartz, A. and Varró, A.
Ionic basis for OPC-8212-induced increase in action potential duration in isolated rabbit, guinea pig and human ventricular myocytes (240) 127
Lejeune, F., Rivet, J.-M., Gobert, A., Canton, H. and Millan, M.J.
WAY 100,135 and (−)-tertatolol act as antagonists at both 5-HT_{1A} autoreceptors and postsynaptic 5-HT_{1A} receptors in vivo (240) 307
Liu, G.J. and Takeuchi, H.
Modulation of neuropeptide effects by achatin-I, an *Achatina* endogenous tetrapeptide (240) 139
Liu, Yu.J.
Antagonist effect of losartan on angiotensin II induced contraction in five isolated smooth muscle assays (240) 147

MacDonald, E., see McDonald, A. (240) 303
Maggi, C.A., Patacchini, R., Meini, S. and Giuliani, S.
Nitric oxide is the mediator of tachykinin NK_3 receptor-induced relaxation in the circular muscle of the guinea-pig ileum (240) 45
Markey, C.J., see Adeyemo, O.M. (240) 185
Markey, S.P., see Adeyemo, O.M. (240) 185
Mathison, R. and Davison, J.S.
Altered vascular permeability responses to substance P in diabetic rats: interactions with a nitric oxide synthesis inhibitor (240) 163
Matsuda, A., see Morimoto, H. (240) 121
Matsumoto, M., see Fujita, R. (240) 213
McDonald, A., MacDonald, E., Wadsworth, R.M. and Scott, P.J.W.
Vasodilator action of cromakalim on human mesenteric artery (240) 303
Mckenna, P.J., see Yue, T.-L. (240) 81
Meini, S., see Maggi, C.A. (240) 45
Meltzer, H.Y., see Pehek, E.A. (240) 107
Meyer, D.K., see Mondeh, J.D. (240) 39
Millan, M.J., see Lejeune, F. (240) 307
Mills, M., see Rossowski, W.J. (240) 259
Misawa, M., see Kamei, J. (240) 99
Mizuhara, H., see Morimoto, H. (240) 121
Mondeh, J.D., Olenik, C., Götz, E., Uhl, A. and Meyer, D.K.
Cerebral cortex injury: effect of blockers of re-uptake of catecholamines (240) 39
Morimoto, H., Yamashita, M., Imazumi, K., Matsuda, A., Ochi, T., Seki, N., Mizuhara, H., Fujii, T. and Senoh, H.
Effects of adenosine A_2 receptor agonists on the excitation of capsaicin-sensitive afferent sensory nerves in airway tissues (240) 121
Morley, J.E., see Flood, J.F. (240) 311
Mungan, Z., see Rossowski, W.J. (240) 259
Muramatsu, I., see Noguchi, H. (240) 291
Muraoka, R., see Noguchi, H. (240) 291
Murphy, D.L., see Aulakh, C.S. (240) 85

Nagao, T., see Tateyama, M. (240) 51
Nagase, H., see Kamei, J. (240) 99
Nakano, T., see Itoh, H. (240) 57
Nánási, P.P., see Lathrop, D.A. (240) 127
Nieuwenhuijzen Kruseman, A., see Huijberts, M. (240) 207
Noguchi, H., Muraoka, R., Kigoshi, S. and Muramatsu, I.
α_1-Adrenoceptor subtype involved in the positive inotropic response to phenylephrine in rat atria (240) 291

Ochi, T., see Morimoto, H. (240) 121
Ohkubo, M., see Hodgkiss, J.P. (240) 219
Ohta, S., see Tateyama, M. (240) 51
Olenik, C., see Mondeh, J.D. (240) 39
Olverman, H.J., see Hodgkiss, J.P. (240) 219
Ono, H., see Tateyama, M. (240) 51

Patacchini, R., see Maggi, C.A. (240) 45
Pehek, E.A., Meltzer, H.Y. and Yamamoto, B.K.
The atypical antipsychotic drug amperozide enhances rat cortical and striatal dopamine efflux (240) 107
Philippu, A., see Singewald, N. (240) 21
Phillips, M.I., see Dawson, Jr., R. (240) 277

Pollard, H.B., see Adeyemo, O.M. (240) 185
Prado, M., see Donoso, M.V. (240) 93
Pucilowski, O., Garges, P.L., Rezvani, A.H., Hutheson, S. and Janowsky, D.S.
Verapamil suppresses d-amphetamine-induced place preference conditioning (240) 89

Rae, G.A., Calixto, J.B. and D'Orléans-Juste, P.
Big-endothelin-1 contracts rat isolated uterus via a phosphoramidon-sensitive endothelin ET_A receptor-mediated mechanism (240) 113
Rezvani, A.H., see Pucilowski, O. (240) 89
Riekkinen, Jr., P., Riekkinen, M., Fisher, A., Ekonsalo, T. and Sirviö, J.
Effects of muscarinic receptor agonists and anticholinesterase drugs on high voltage spindles and slow waves (240) 1
Riekkinen, M., see Riekkinen, Jr., P. (240) 1
Rivet, J.-M., see Lejeune, F. (240) 307
Rizzo, C.A., Kreutner, W. and Chapman, R.W.
$5\text{-}HT_3$ receptors augment neuronal, cholinergic contractions in guinea pig trachea. European Journal of Pharmacology, 234 (1993) 109–112 (240) 327
Rossowski, W.J., Zacharia, S., Jiang, N.-Y., Mungan, Z., Mills, M., Ertan, A. and Coy, D.H.
Galanin: structure-dependent effect on pancreatic amylase secretion and jejunal strip contraction (240) 259
Ruiz, F., Dierssen, M., Flórez, J. and Hurlé, M.A.
The Ca^{2+} channel agonist Bay K 8644 induces central respiratory depression in cats, an effect blocked by naloxone (240) 155

Satoh, H. and Sperelakis, N.
Hyperpolarization-activated inward current in embryonic chick cardiac myocytes: developmental changes and modulation by isoproterenol and carbachol (240) 283
Schreiber, R., see Sommermeyer, H. (240) 29
Schwartz, A., see Lathrop, D.A. (240) 127
Scott, P.J.W., see McDonald, A. (240) 303
Seki, N., see Morimoto, H. (240) 121
Senoh, H., see Morimoto, H. (240) 121
Seyed-Mozaffari, A., see Jiang, Q. (240) 201
Sherriffs, H.J., see Hodgkiss, J.P. (240) 219
Shimamura, K., see Inoue, Y. (240) 169
Shimomura, A., see Itoh, H. (240) 57
Shirakawa, K., see Hodgkiss, J.P. (240) 219
Singewald, N., Guo, L. and Philippu, A.
Taurine release in the hypothalamus is altered by blood pressure changes and neuroactive drugs (240) 21
Sirois, P., see Filep, J.G. (240) 315
Sirviö, J., see Riekkinen, Jr., P. (240) 1
Skarsfeldt, T.
Comparison of the effect of substituted benzamides on midbrain dopamine neurones after treatment of rats for 21 days (240) 269
Smits, J., see Huijberts, M. (240) 207
Sommermeyer, H., Schreiber, R., Greuel, J.M., De Vry, J. and Glaser, T.
Anxiolytic effects of the $5\text{-}HT_{1A}$ receptor agonist ipsapirone in the rat: neurobiological correlates (240) 29
Sperelakis, N., see Inoue, Y. (240) 169
Sperelakis, N., see Satoh, H. (240) 283
St. Pierre, S., see Donoso, M.V. (240) 93
Struijker Boudier, H., see Huijberts, M. (240) 207
Suga, T., see Itoh, H. (240) 57
Sunano, S., see Kaneko, K. (240) 195
Sütő, G., see Király, Á. (240) 299
Suzuki, T., see Kamei, J. (240) 99

Taché, Y., see Király, Á. (240) 299
Takeuchi, H., see Liu, G.J. (240) 139
Tamaoki, S., see Kurihara, J. (240) 73
Tamazawa, Y., see Fujita, R. (240) 213
Tateyama, M., Nagao, T., Ohta, S., Hirobe, M. and Ono, H.
4-Phenyltetrahydroisoquinoline, but not nomifensine or cocaine, inhibits methamphetamine-induced dopamine release (240) 51
Terrón, J.A., see Villalón, C.M. (240) 9
Tweedie, D., Henderson, C. and Kane, K.
Glibenclamide, but not class III drugs, prevents ischaemic shortening of the refractory period in guinea-pig hearts (240) 251

Uhl, A., see Mondeh, J.D. (240) 39

Van Essen, H., see Huijberts, M. (240) 207
Varró, A., see Lathrop, D.A. (240) 127
Villalón, C.M., Terrón, J.A. and Hong, E.
Role of $5\text{-}HT_1$-like receptors in the increase in external carotid blood flow induced by 5-hydroxytryptamine in the dog (240) 9

Wadsworth, R.M., see McDonald, A. (240) 303
Wahlestedt, C., see Erlinge, D. (240) 77
Waldron, T.L., see Bird, J.E. (240) 295
Walz, R., see Jerusalinsky, D. (240) 103
Watling, K.J., see Guard, S. (240) 177
Wiklund, C.U., Wiklund, N.P. and Gustafsson, L.E.
Modulation of neuroeffector transmission by endogenous nitric oxide: a role for acetylcholine receptor-activated nitric oxide formation, as indicated by measurements of nitric oxide/nitrite release (240) 235
Wiklund, N.P., see Wiklund, C.U. (240) 235
Wolffenbuttel, B., see Huijberts, M. (240) 207

Yamamoto, B.K., see Pehek, E.A. (240) 107
Yamashita, M., see Morimoto, H. (240) 121
Yee, F., see Erlinge, D. (240) 77
Youdim, M.B.H., see Adeyemo, O.M. (240) 185
Yue, T.-L., Mckenna, P.J., Gu, J.-L. and Feuerstein, G.Z.
Interleukin-8 is chemotactic for vascular smooth muscle cells (240) 81

Zacharia, S., see Rossowski, W.J. (240) 259